
T-1 CP-X4021N, CP-X5021N (1024X768) (±10%)

Screen type	4:3										16:9									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.5	0.9	34	1.5	57	46	18	0	0	0.7	0.4	0.9	37	1.6	63	44	17	-6	-2
40	0.8	0.6	1.2	46	2.0	77	61	24	0	0	0.9	0.5	1.3	50	2.1	84	58	23	-8	-3
50	1.0	0.8	1.5	58	2.5	97	76	30	0	0	1.1	0.6	1.6	63	2.7	106	73	29	-10	-4
60	1.2	0.9	1.8	70	3.0	117	91	36	0	0	1.3	0.7	1.9	76	3.2	128	87	34	-12	-5
70	1.4	1.1	2.1	82	3.5	137	107	42	0	0	1.5	0.9	2.3	90	3.8	150	102	40	-15	-6
80	1.6	1.2	2.4	94	4.0	157	122	48	0	0	1.8	1.0	2.6	103	4.3	171	116	46	-17	-7
90	1.8	1.4	2.7	106	4.5	177	137	54	0	0	2.0	1.1	2.9	116	4.9	193	131	51	-19	-7
100	2.0	1.5	3.0	118	5.0	197	152	60	0	0	2.2	1.2	3.3	129	5.5	215	145	57	-21	-8
120	2.4	1.8	3.6	142	6.0	237	183	72	0	0	2.7	1.5	3.9	155	6.6	258	174	69	-25	-10
150	3.0	2.3	4.5	179	7.5	297	229	90	0	0	3.3	1.9	5.0	195	8.2	323	218	86	-31	-12
200	4.1	3.0	6.1	239	10.1	396	305	120	0	0	4.4	2.5	6.6	261	11.0	432	291	114	-42	-16
250	5.1	3.8	7.6	300	12.6	496	381	150	0	0	5.5	3.1	8.3	327	13.7	541	363	143	-52	-20
300	6.1	4.6	9.1	360	15.1	596	457	180	0	0	6.6	3.7	10.0	393	16.5	650	436	172	-62	-25


T-2 CP-WX4021N (1280X800) (±10%)

Screen type	16:10										4:3									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.4	0.9	36	1.5	61	44	17	-4	-2	0.6	0.5	1.0	41	1.8	69	50	20	-5	-2
40	0.9	0.5	1.2	49	2.1	82	59	23	-5	-2	0.8	0.6	1.4	55	2.4	93	67	26	-6	-2
50	1.1	0.7	1.6	61	2.6	103	74	29	-7	-3	1.0	0.8	1.8	70	3.0	117	84	33	-8	-3
60	1.3	0.8	1.9	74	3.2	124	89	35	-8	-3	1.2	0.9	2.1	84	3.6	141	101	40	-9	-4
70	1.5	0.9	2.2	87	3.7	145	104	41	-9	-4	1.4	1.1	2.5	99	4.2	165	117	46	-11	-4
80	1.7	1.1	2.5	100	4.2	167	118	47	-11	-4	1.6	1.2	2.9	113	4.8	189	134	53	-12	-5
90	1.9	1.2	2.9	113	4.8	188	133	52	-12	-5	1.8	1.4	3.3	128	5.4	213	151	59	-14	-5
100	2.2	1.3	3.2	126	5.3	209	148	58	-13	-5	2.0	1.5	3.6	142	6.0	237	168	66	-15	-6
120	2.6	1.6	3.8	151	6.4	251	178	70	-16	-6	2.4	1.8	4.4	172	7.2	285	201	79	-18	-7
150	3.2	2.0	4.8	190	8.0	315	222	87	-20	-8	3.0	2.3	5.5	215	9.1	357	251	99	-23	-9
200	4.3	2.7	6.4	254	10.7	421	296	117	-27	-11	4.1	3.0	7.3	288	12.1	476	335	132	-30	-12
250	5.4	3.4	8.1	318	13.4	526	370	146	-34	-13	5.1	3.8	9.2	360	15.1	596	419	165	-38	-15
300	6.5	4.0	9.7	382	16.1	632	444	175	-40	-16	6.1	4.6	11.0	433	18.2	716	503	198	-46	-18


F-1


Computer
AUDIO OUT
HDMI
USB TYPE A
DISPLAY
RS-232C
USB TYPE A
DC5V 0.5A
HDMI
USB TYPE B
COMPUTER IN1
G/Y
B/Cb/Pb
R/Cr/Pr
LAN
COMPUTER IN2
H
V
AUDIO IN1
AUDIO IN3
R
AUDIO OUT
R
S-VIDEO
Y
MIC
Cb/Pb
MONITOR OUT
REMOTE CONTROL
AUDIO IN2
L
L
VIDEO
COMPONENT
Cr/Pr
CONTROL


F-2



Computer
LAN
USB TYPE A
RS-232C
Access point
USB TYPE A
DC5V 0.5A
HDMI
USB TYPE B
COMPUTER IN1
G/Y
B/Cb/Pb
R/Cr/Pr
USB storage device
LAN
COMPUTER IN2
H
V
AUDIO IN1
AUDIO IN3
R
AUDIO OUT
R
S-VIDEO
Y
MIC
Cb/Pb
MONITOR OUT
REMOTE CONTROL
AUDIO IN2
L
L
VIDEO
COMPONENT
Cr/Pr
CONTROL

F-3


VCR/DVD/Blu-ray Disc player
HDMI
AUDIO OUT
R
L
VIDEO
S-VIDEO
COMPONENT
Y
Cb/Pb
Cr/Pr
USB TYPE A
DC5V 0.5A
COMPUTER IN1
G/Y
R/Cr/Pr
LAN
AUDIO IN1
AUDIO IN3
R
AUDIO IN2
L
MIC
VIDEO
MONITOR OUT
REMOTE CONTROL
CONTROL
COMPONENT
Cr/Pr

F-4


Speakers
(with an amplifier)
AUDIO IN
L
R
Monitor
RGB IN
Microphone system
Wired remote control
(optional)
USB TYPE A
DC5V 0.5A
HDMI
COMPUTER IN1
G/Y
B/Cb/Pb
R/Cr/Pr
LAN
COMPUTER IN2
AUDIO IN1
AUDIO IN3
R
AUDIO IN2
L
MIC
S-VIDEO
VIDEO
Y
Cb/Pb
Cr/Pr
COMPONENT
MONITOR OUT
REMOTE CONTROL
CONTROL



[unit: mm]