

Ⓗ x Ⓥ : Screen size
ⓐ : Projection distance (from the front of the projector unit)
ⓑ , ⓒ : Screen height

T-1 CP-X8150 with SL-702


(1024 x 768, ±10%)

Screen type	4 : 3										16 : 9									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.5	0.9	37	1.4	55	51	20	-6	-2	0.7	0.4	1.0	40	1.5	60	50	20	-12	-5
40	0.8	0.6	1.2	49	1.9	73	69	27	-8	-3	0.9	0.5	1.3	53	2.0	79	66	26	-17	-7
50	1.0	0.8	1.5	61	2.3	91	86	34	-10	-4	1.1	0.6	1.7	66	2.5	99	83	33	-21	-8
60	1.2	0.9	1.8	73	2.8	109	103	41	-11	-5	1.3	0.7	2.0	79	3.0	119	100	39	-25	-10
70	1.4	1.1	2.1	84	3.2	127	120	47	-13	-5	1.5	0.9	2.3	92	3.5	138	116	46	-29	-11
80	1.6	1.2	2.4	96	3.7	145	137	54	-15	-6	1.8	1.0	2.7	105	4.0	158	133	52	-33	-13
90	1.8	1.4	2.8	108	4.1	163	154	61	-17	-7	2.0	1.1	3.0	118	4.5	177	149	59	-37	-15
100	2.0	1.5	3.1	120	4.6	181	171	68	-19	-8	2.2	1.2	3.3	131	5.0	197	166	65	-42	-16
150	3.0	2.3	4.6	180	6.9	271	257	101	-29	-11	3.3	1.9	5.0	196	7.5	295	249	98	-62	-25
200	4.1	3.0	6.1	239	9.2	361	343	135	-38	-15	4.4	2.5	6.6	261	10.0	393	332	131	-83	-33
250	5.1	3.8	7.6	299	11.5	451	429	169	-48	-19	5.5	3.1	8.3	326	12.5	491	415	163	-104	-41
300	6.1	4.6	9.1	359	13.7	541	514	203	-57	-23	6.6	3.7	9.9	391	15.0	589	498	196	-125	-49
600	12.2	9.1	18.2	716	27.5	1081	1029	405	-114	-45	13.3	7.5	19.8	780	29.9	1178	996	392	-249	-98

T-2 CP-X8160 with ML-703

(1024 x 768, ±10%)

Screen type	4 : 3										16 : 9									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.5	0.9	37	1.9	73	46	18	0	0	0.7	0.4	1.0	40	2.0	80	44	17	-6	-2
40	0.8	0.6	1.2	49	2.5	97	61	24	0	0	0.9	0.5	1.4	53	2.7	106	58	23	-8	-3
50	1.0	0.8	1.6	61	3.1	121	76	30	0	0	1.1	0.6	1.7	67	3.4	132	73	29	-10	-4
60	1.2	0.9	1.9	73	3.7	146	91	36	0	0	1.3	0.7	2.0	80	4.0	159	87	34	-12	-5
70	1.4	1.1	2.2	86	4.3	170	107	42	0	0	1.5	0.9	2.4	93	4.7	185	102	40	-15	-6
80	1.6	1.2	2.5	98	4.9	194	122	48	0	0	1.8	1.0	2.7	106	5.4	211	116	46	-17	-7
90	1.8	1.4	2.8	110	5.5	218	137	54	0	0	2.0	1.1	3.0	120	6.0	238	131	51	-19	-7
100	2.0	1.5	3.1	122	6.2	242	152	60	0	0	2.2	1.2	3.4	133	6.7	264	145	57	-21	-8
150	3.0	2.3	4.6	183	9.2	363	229	90	0	0	3.3	1.9	5.1	199	10.0	396	218	86	-31	-12
200	4.1	3.0	6.2	244	12.3	484	305	120	0	0	4.4	2.5	6.7	266	13.4	527	291	114	-42	-16
250	5.1	3.8	7.7	305	15.4	605	381	150	0	0	5.5	3.1	8.4	332	16.7	659	363	143	-52	-20
300	6.1	4.6	9.3	366	18.4	725	457	180	0	0	6.6	3.7	10.1	398	20.1	790	436	172	-62	-25
600	12.2	9.1	18.6	731	36.8	1450	914	360	0	0	13.3	7.5	20.2	796	40.1	1580	872	343	-125	-49



Ⓗ x Ⓥ : Screen size
ⓐ : Projection distance (from the front of the projector unit)
ⓑ , ⓒ : Screen height

T-3 CP-WX8240/CP-WX8240A with SL-702


(1280 x 800, ±10%)

Screen type	16 : 10										4 : 3									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.4	1.0	39	1.5	58	50	20	-10	-4	0.6	0.5	1.1	44	1.7	66	57	23	-11	-5
40	0.9	0.5	1.3	52	2.0	77	67	26	-13	-5	0.8	0.6	1.5	58	2.2	87	76	30	-15	-6
50	1.1	0.7	1.6	64	2.4	96	84	33	-17	-7	1.0	0.8	1.8	73	2.8	109	95	38	-19	-8
60	1.3	0.8	2.0	77	2.9	115	101	40	-20	-8	1.2	0.9	2.2	87	3.3	131	114	45	-23	-9
70	1.5	0.9	2.3	89	3.4	135	118	46	-24	-9	1.4	1.1	2.6	101	3.9	152	133	53	-27	-11
80	1.7	1.1	2.6	102	3.9	154	135	53	-27	-11	1.6	1.2	2.9	115	4.4	174	152	60	-30	-12
90	1.9	1.2	2.9	115	4.4	173	151	60	-30	-12	1.8	1.4	3.3	130	5.0	195	171	68	-34	-14
100	2.2	1.3	3.2	127	4.9	192	168	66	-34	-13	2.0	1.5	3.7	144	5.5	217	191	75	-38	-15
150	3.2	2.0	4.8	191	7.3	287	252	99	-50	-20	3.0	2.3	5.5	216	8.3	325	286	113	-57	-23
200	4.3	2.7	6.4	254	9.7	383	337	132	-67	-26	4.1	3.0	7.3	287	11.0	433	381	150	-76	-30
250	5.4	3.4	8.0	317	12.1	478	421	166	-84	-33	5.1	3.8	9.1	359	13.7	541	476	188	-95	-38
300	6.5	4.0	9.7	380	14.6	573	505	199	-101	-40	6.1	4.6	10.9	430	16.5	649	572	225	-114	-45
600	12.9	8.1	19.3	759	29.1	1146	1010	397	-202	-79	12.2	9.1	21.8	859	32.9	1297	1143	450	-229	-90

T-4 CP-WX8255/CP-WX8255A with ML-703

(1280 x 800, ±10%)

Screen type	16 : 10										4 : 3									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.4	1.0	39	2.0	78	45	18	-4	-2	0.6	0.5	1.1	44	2.2	88	51	20	-5	-2
40	0.9	0.5	1.3	52	2.6	103	60	24	-6	-2	0.8	0.6	1.5	59	3.0	117	68	27	-7	-3
50	1.1	0.7	1.6	65	3.3	129	75	29	-7	-3	1.0	0.8	1.9	73	3.7	146	85	33	-8	-3
60	1.3	0.8	2.0	78	3.9	154	90	35	-9	-4	1.2	0.9	2.2	88	4.4	175	102	40	-10	-4
70	1.5	0.9	2.3	91	4.6	180	105	41	-10	-4	1.4	1.1	2.6	103	5.2	204	119	47	-12	-5
80	1.7	1.1	2.6	104	5.2	206	120	47	-12	-5	1.6	1.2	3.0	117	5.9	233	135	53	-14	-5
90	1.9	1.2	3.0	117	5.9	231	135	53	-13	-5	1.8	1.4	3.4	132	6.6	262	152	60	-15	-6
100	2.2	1.3	3.3	129	6.5	257	150	59	-15	-6	2.0	1.5	3.7	147	7.4	291	169	67	-17	-7
150	3.2	2.0	4.9	194	9.8	385	224	88	-22	-9	3.0	2.3	5.6	220	11.1	436	254	100	-25	-10
200	4.3	2.7	6.6	259	13.0	513	299	118	-30	-12	4.1	3.0	7.4	293	14.7	580	339	133	-34	-13
250	5.4	3.4	8.2	323	16.3	641	374	147	-37	-15	5.1	3.8	9.3	366	18.4	725	423	167	-42	-17
300	6.5	4.0	9.8	388	19.5	769	449	177	-45	-18	6.1	4.6	11.1	439	22.1	870	508	200	-51	-20
600	12.9	8.1	19.7	775	39.0	1537	897	353	-90	-35	12.2	9.1	22.3	877	44.2	1740	1016	400	-102	-40



Ⓗ x Ⓥ : Screen size
ⓐ : Projection distance (from the front of the projector unit)
ⓑ , ⓒ : Screen height

T-5 CP-SX8350 with SL-702

(1400 x 1050, ±10%)


Screen type	4 : 3										16 : 9									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.5	0.7	29	1.1	44	41	16	5	2	0.7	0.4	0.8	32	1.2	48	39	15	-1	0
40	0.8	0.6	1.0	39	1.5	58	55	22	6	2	0.9	0.5	1.1	42	1.6	63	51	20	-2	-1
50	1.0	0.8	1.2	48	1.8	73	69	27	8	3	1.1	0.6	1.3	53	2.0	79	64	25	-2	-1
60	1.2	0.9	1.5	58	2.2	87	82	32	9	4	1.3	0.7	1.6	63	2.4	95	77	30	-2	-1
70	1.4	1.1	1.7	67	2.6	101	96	38	11	4	1.5	0.9	1.9	73	2.8	110	90	35	-3	-1
80	1.6	1.2	2.0	77	2.9	115	110	43	12	5	1.8	1.0	2.1	84	3.2	126	103	41	-3	-1
90	1.8	1.4	2.2	86	3.3	130	123	49	14	5	2.0	1.1	2.4	94	3.6	141	116	46	-4	-1
100	2.0	1.5	2.4	96	3.7	144	137	54	15	6	2.2	1.2	2.6	104	4.0	157	129	51	-4	-2
150	3.0	2.3	3.6	143	5.5	216	206	81	23	9	3.3	1.9	4.0	156	6.0	235	193	76	-6	-2
200	4.1	3.0	4.8	191	7.3	287	274	108	30	12	4.4	2.5	5.3	207	7.9	313	257	101	-8	-3
250	5.1	3.8	6.0	238	9.1	359	343	135	38	15	5.5	3.1	6.6	259	9.9	391	322	127	-10	-4
300	6.1	4.6	7.2	285	10.9	430	411	162	46	18	6.6	3.7	7.9	311	11.9	469	386	152	-12	-5
600	12.2	9.1	14.5	570	21.8	860	823	324	91	36	13.3	7.5	15.8	620	23.8	936	772	304	-25	-10

T-6 CP-WU8440 / CP-WU8450 with ML-703


(1920 x 1200, ±10%)

Screen type	16 : 10										4 : 3									
	Screen size		Projection distance				Screen height				Screen size		Projection distance				Screen height			
	Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ		Ⓗ	Ⓥ	ⓐ min.		ⓐ max.		ⓑ		ⓒ	
(inch)	m	m	m	inch	m	inch	cm	inch	cm	inch	m	m	m	inch	m	inch	cm	inch	cm	inch
30	0.6	0.4	1.0	38	1.9	76	45	18	-4	-2	0.6	0.5	1.1	43	2.2	86	51	20	-5	-2
40	0.9	0.5	1.3	51	2.6	101	60	24	-6	-2	0.8	0.6	1.5	58	2.9	114	68	27	-7	-3
50	1.1	0.7	1.6	64	3.2	126	75	29	-7	-3	1.0	0.8	1.8	72	3.6	143	85	33	-8	-3
60	1.3	0.8	1.9	76	3.8	151	90	35	-9	-4	1.2	0.9	2.2	86	4.3	171	102	40	-10	-4
70	1.5	0.9	2.3	89	4.5	176	105	41	-10	-4	1.4	1.1	2.6	100	5.1	200	119	47	-12	-5
80	1.7	1.1	2.6	101	5.1	202	120	47	-12	-5	1.6	1.2	2.9	115	5.8	228	135	53	-14	-5
90	1.9	1.2	2.9	114	5.8	227	135	53	-13	-5	1.8	1.4	3.3	129	6.5	256	152	60	-15	-6
100	2.2	1.3	3.2	127	6.4	252	150	59	-15	-6	2.0	1.5	3.6	143	7.2	285	169	67	-17	-7
150	3.2	2.0	4.8	190	9.6	377	224	88	-22	-9	3.0	2.3	5.5	215	10.8	427	254	100	-25	-10
200	4.3	2.7	6.4	253	12.8	503	299	118	-30	-12	4.1	3.0	7.3	286	14.5	569	339	133	-34	-13
250	5.4	3.4	8.0	316	16.0	628	374	147	-37	-15	5.1	3.8	9.1	358	18.1	711	423	167	-42	-17
300	6.5	4.0	9.6	379	19.1	754	449	177	-45	-18	6.1	4.6	10.9	429	21.7	853	508	200	-51	-20
600	12.9	8.1	19.3	758	38.3	1507	897	353	-90	-35	12.2	9.1	21.8	859	43.3	1706	1016	400	-102	-40

F-1



Computer
USB TYPE A
HDMI™
AUDIO OUT
RGB OUT
USB TYPE A DC5V 0.5A
USB TYPE B
HDMI 1
HDMI 2
S-VIDEO
VIDEO
AUDIO IN 3
COMPUTER IN 2
G/Y B/Cb/Pb R/Cr/Pr
H
V
AUDIO IN 1
COMPUTER IN 1
CONTROL
Cr/Pr
Cb/Pb
Y
COMPONENT
MONITOR OUT
AUDIO IN 2
AUDIO OUT
IN
OUT
REMOTE CONTROL

F-2



Computer
External device
LAN
USB TYPE A
RS-232C
RS-232C
Access point
USB wireless adapter (optional)
USB storage device
USB TYPE A DC5V 0.5A
USB TYPE B
HDMI 1
HDMI 2
S-VIDEO
VIDEO
AUDIO IN 3
COMPUTER IN 2
G/Y B/Cb/Pb R/Cr/Pr
H
V
AUDIO IN 1
COMPUTER IN 1
CONTROL
Cr/Pr
Cb/Pb
Y
COMPONENT
MONITOR OUT
AUDIO IN 2
AUDIO OUT
IN
OUT
REMOTE CONTROL


F-3

VCR/DVD/Blu-ray Disc™ player



F-4




498mm
396mm
80mm
147mm
135mm