T-1 CP-X2015WN,X2515WN,3015WN (1024 x 768) (±10%)

ⓐ Screen size (diagonal)		4 : 3 screen								16 : 9 screen							
		ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height		ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height	
		min.		max.						min.		max.					
type (inch)	m	m	inch	m	inch	cm	inch	cm	inch	m	inch	m	inch	cm	inch	cm	inch
30	0.8	0.8	32	1.0	39	39	15	7	3	0.9	35	1.1	43	36	14	1	0
40	1.0	1.1	44	1.4	54	52	21	9	3	1.2	48	1.5	59	49	19	1	0
50	1.3	1.4	56	1.7	68	65	26	11	4	1.6	61	1.9	75	61	24	1	1
60	1.5	1.7	68	2.1	82	78	31	13	5	1.9	74	2.3	90	73	29	2	1
70	1.8	2.0	80	2.5	97	91	36	15	6	2.2	87	2.7	106	85	34	2	1
80	2.0	2.3	92	2.8	111	105	41	17	7	2.6	100	3.1	121	97	38	2	1
90	2.3	2.6	104	3.2	125	118	46	20	8	2.9	113	3.5	137	109	43	3	1
100	2.5	2.9	116	3.5	140	131	51	22	9	3.2	126	3.9	153	122	48	3	1
120	3.0	3.5	140	4.3	168	157	62	26	10	3.9	152	4.7	184	146	57	4	1
150	3.8	4.5	175	5.4	211	196	77	33	13	4.9	191	5.9	231	182	72	4	2
200	5.1	6.0	235	7.2	283	261	103	44	17	6.5	256	7.8	309	243	96	6	2
250	6.4	7.5	295	9.0	355	327	129	54	21	8.2	321	9.8	387	304	120	7	3
300	7.6	9.0	354	10.8	426	392	154	65	26	9.8	386	11.8	465	365	144	9	4

T-2 CP-X4015WN (1280 x 768) (±10%)


ⓐ Screen size (diagonal)		4 : 3 screen								16 : 9 screen							
		ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height		ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height	
		min.		max.						min.		max.					
type (inch)	m	m	inch	m	inch	cm	inch	cm	inch	m	inch	m	inch	cm	inch	cm	inch
30	0.8	0.8	32	1.0	38	41	16	5	2	0.9	35	1.1	42	39	15	-1	0
40	1.0	1.1	44	1.3	52	55	22	6	2	1.2	48	1.5	57	51	20	-2	-1
50	1.3	1.4	56	1.7	67	69	27	8	3	1.5	61	1.9	73	64	25	-2	-1
60	1.5	1.7	67	2.0	81	82	32	9	4	1.9	74	2.2	88	77	30	-2	-1
70	1.8	2.0	79	2.4	95	96	38	11	4	2.2	87	2.6	104	90	35	-3	-1
80	2.0	2.3	91	2.8	109	110	43	12	5	2.5	100	3.0	119	103	41	-3	-1
90	2.3	2.6	103	3.1	123	123	49	14	5	2.9	113	3.4	134	116	46	-4	-1
100	2.5	2.9	115	3.5	137	137	54	15	6	3.2	126	3.8	150	129	51	-4	-2
120	3.0	3.5	139	4.2	165	165	65	18	7	3.9	152	4.6	181	154	61	-5	-2
150	3.8	4.4	175	5.3	208	206	81	23	9	4.8	191	5.8	227	193	76	-6	-2
200	5.1	6.0	234	7.1	278	274	108	30	12	6.5	256	7.7	304	257	101	-8	-3
250	6.4	7.5	294	8.9	349	343	135	38	15	8.1	321	9.7	381	322	127	-10	-4
300	7.6	9.0	354	10.7	420	411	162	46	18	9.8	386	11.6	458	386	152	-12	-5

T-3 **CP-WX2515WN,CP-WX3015WN** (1280 x 800) (±10%)

ⓐ Screen size (diagonal)	16 : 10 screen								4 : 3 screen							
	ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height		ⓑ Projection distance				ⓒ1 Screen height		ⓒ2 Screen height	
	min.		max.						min.		max.					
type (inch)	m	inch	m	inch	cm	inch	cm	inch	m	inch	m	inch	cm	inch	cm	inch
30	0.9	35	1.1	43	40	16	1	0	1.0	40	1.2	49	45	18	1	0
40	1.2	48	1.5	58	53	21	1	0	1.4	54	1.7	67	60	24	1	0
50	1.5	61	1.9	74	66	26	1	1	1.8	69	2.1	84	75	29	2	1
60	1.9	73	2.3	89	79	31	2	1	2.1	84	2.6	102	90	35	2	1
70	2.2	86	2.7	105	92	36	2	1	2.5	98	3.0	119	105	41	2	1
80	2.5	99	3.1	121	106	42	2	1	2.9	113	3.5	137	119	47	2	1
90	2.8	112	3.5	136	119	47	2	1	3.2	128	3.9	155	134	53	3	1
100	3.2	125	3.9	152	132	52	3	1	3.6	142	4.4	172	149	59	3	1
120	3.8	151	4.6	183	158	62	3	1	4.4	171	5.3	207	179	71	4	1
150	4.8	190	5.8	229	198	78	4	2	5.5	215	6.6	260	224	88	5	2
200	6.5	254	7.8	307	264	104	5	2	7.3	288	8.8	348	299	118	6	2
250	8.1	319	9.8	385	330	130	7	3	9.2	361	11.1	436	373	147	8	3
300	9.7	383	11.8	463	396	156	8	3	11.0	434	13.3	524	448	176	9	4


F-1

・On a horizontal surface




F-2


・Suspended from the ceiling




F-3


Computer
USB TYPE A
HDMI
AUDIO OUT
RGB OUT
USB TYPE B
USB TYPE A DC5V 0.5A
LAN
HDMI
MIC
COMPUTER IN1
AUDIO OUT
COMPUTER IN2
AUDIO IN
CONTROL
MONITOR OUT
S-VIDEO VIDEO


F-4



Access point
Computer
External device
USB wireless adapter (optional)
USB storage device
LAN
USB TYPE A
RS-232C
RS-232C
USB TYPE B
USB TYPE A DC5V 0.5A
HDMI
MIC
COMPUTER IN1
COMPUTER IN2
AUDIO OUT
AUDIO IN
CONTROL
MONITOR OUT
S-VIDEO VIDEO

F-5


VCR/DVD/Blu-ray Disc™ player
COMPONENT
Y
Cb/Pb
Cr/Pr
S-VIDEO
VIDEO
AUDIO OUT
R
L
HDMI
USB TYPE B
USB TYPE A
DC5V 0.5A
LAN
MIC
COMPUTER IN1
COMPUTER IN2
AUDIO OUT
AUDIO IN
CONTROL
MONITOR OUT
S-VIDEO
VIDEO

F-6


Microphone
Monitor
Speakers
(with an amplifier)
RGB OUT
L
R
USB TYPE B
HDMI
USB TYPE A
DC5V 0.5A
LAN
MIC
COMPUTER IN1
COMPUTER IN2
AUDIO OUT
AUDIO IN
CONTROL
MONITOR OUT
S-VIDEO
VIDEO



[unit: mm]